



# DockDeck™ by trusscore®

Formerly Brock Dock



# DockDeck™ by Trusscore®

**DockDeck by Trusscore is the ultimate lightweight, low-maintenance, and long-lasting PVC dock decking material — without the hassles that accompany other dock products.**

DockDeck boards have an open-cavity profile which makes boards 40% lighter than composite decking and will keep your dock cool in high temperatures and direct sunlight. DockDeck is also designed to never require maintenance or replacing — our boards will never rot, rust, splinter, or fade.

***Available in 12-, 16-, and 20-ft. lengths***

If you're building a dock for your lakefront home, cabin, or cottage, DockDeck has you covered for the following applications!



*Stationary Dock*



*Tower Dock*



*Floating Dock*



*Sectional Dock*



*Roll-in Dock*



*Deck*



# Why Build with DockDeck?

When you build your dock with DockDeck, you'll not only enjoy the look and feel of your new dock you'll also reap the rewards of a high-performing product for decades to come.



## SUPERIOR PERFORMANCE

Made from 100% PVC, DockDeck by Trusscore is built to last and has undergone rigorous testing to ensure structural integrity and quality you can count on.

- ✓ UV resistance means you never have to worry about your dock fading in the sun
- ✓ A unique open-cavity profile with low heat retention means your dock decking panels will stay cool in the heat so you don't have to worry about extremely hot boards
- ✓ Complete water and moisture resistance, so your boards will never decay from mold and mildew like composite decking or splinter and rot like wooden boards



## BEAUTIFUL AESTHETICS

DockDeck systems offer great-looking designs to enhance your outdoor space, combined with practical features to keep your dock safe and looking as good as the day you built it.

- ✓ With a variety of colors to choose from, you're sure to find a DockDeck system to achieve the look you'll love
- ✓ Available in two slip-resistant texture patterns for added safety
- ✓ DockDeck Clip Strip fastening system keeps screws hidden for a seamless look and ensures planks are spaced uniformly
- ✓ Trims, post covers, and edge guards add the perfect finishing touch to your deck



## MINIMAL MAINTENANCE

No need to paint, stain, or seal — with DockDeck, you'll enjoy the ease of minimal maintenance and can enjoy your downtime on the water.

- ✓ PVC DockDeck boards are stain and scratch resistant, meaning they'll continue to look their best season after season
- ✓ DockDeck is built to withstand repeated pressure washing and regular cleaning
- ✓ If your DockDeck boards are ever damaged, take advantage of the 20-year limited lifetime warranty to have the boards replaced

# DockDeck Specifications

DockDeck boards are available in a variety of lengths and colors with two texture patterns to help you achieve the dock of your dreams.

## BOARD COLORS & TEXTURES



Two slip-resistant patterns ensure added safety when your dock is wet. Plus, with a range of colors to choose from you can achieve the look you will love.



## BOARD LENGTHS

Available in various lengths to give you options for your perfect dock, making the construction phase as seamless as possible.

- 12 ft. (366 cm)
- 16 ft. (488 cm)
- 20 ft. (610 cm)



**Scan Here**  
TO VIEW OUR  
INSTALL RESOURCES

## Installing DockDeck?

**DockDeck installation is a breeze thanks to its unique, pre-assembled Clip Strip fastening system.**

This unique system keeps screws hidden and ensures boards are spaced uniformly while managing and controlling the natural expansion and contraction from temperature changes.

Aluminum Clip Strips are available in 3-, 4-, or 5-ft. lengths and are mounted to the dock substructure to hold DockDeck boards in place.

*This allows you to replace a single board easily and gives you the flexibility to expand or alter your dock whenever you want.*




# Customizable Finishing Touches

Customize your dock by adding bumpers and pier coverings that perfectly complement your DockDeck system.

Each accessory is made with the same high-quality material as our dock boards and is designed to withstand changing weather while remaining durable through continuous heavy use.

## TRIMS



DockDeck trims add a functional and distinctive design element to your dock for the perfect finishing touch.

PRODUCT	RENDER	DESCRIPTION
C Channel		Use on docks with overhanging DockDeck boards.
L Trim		Use on docks without overhanging DockDeck boards where it isn't possible to use a C Channel trim.  <i>Two sizes available.</i>
T Strip		Use between end-to-end boards on the top surface of the dock.
End Cap		Provide a seamless finish for the end of individual DockDeck boards.



## EDGE GUARDS & POST COVERS

DockDeck Edge Guards and Post Covers can save your boat from damage and extend the lifespan of your dock.



- A** Post Cap
- B** Post Wrap
- C** Edge Guard
- D** Edge Guard Connector
- E** Insert Slip Sleeve
- F** Edge Guard End Cap

## DOCKDECK BOARD PRODUCT SPECIFICATIONS

BOARD COLOR	BOARD DIMENSIONS (L x W)	PART NUMBER	
		CROSSHATCH	WOODGRAIN
White	12 ft. x 6 in. (366 cm x 15.24 cm)	7970.20.01.145.0	7971.20.01.145.0
	16 ft. x 6 in. (488 cm x 15.24 cm)	7970.20.01.193.0	7971.20.01.193.0
	20 ft. x 6 in. (610 cm x 15.24 cm)	7970.20.01.241.0	7971.20.01.241.0
Gray	12 ft. x 6 in. (366 cm x 15.24 cm)	7970.20.02.145.0	7971.20.02.145.0
	16 ft. x 6 in. (488 cm x 15.24 cm)	7970.20.02.193.0	7971.20.02.193.0
	20 ft. x 6 in. (610 cm x 15.24 cm)	7970.20.02.241.0	7971.20.02.241.0
Tan	12 ft. x 6 in. (366 cm x 15.24 cm)	7970.20.05.145.0	7971.20.05.145.0
	16 ft. x 6 in. (488 cm x 15.24 cm)	7970.20.05.193.0	7971.20.05.193.0
	20 ft. x 6 in. (610 cm x 15.24 cm)	7970.20.05.241.0	7971.20.05.241.0
Latte	12 ft. x 6 in. (366 cm x 15.24 cm)	7970.20.07.145.0	7971.20.07.145.0
	16 ft. x 6 in. (488 cm x 15.24 cm)	7970.20.07.193.0	7971.20.07.193.0
	20 ft. x 6 in. (610 cm x 15.24 cm)	7970.20.07.241.0	7971.20.07.241.0

## TRIM & ACCESSORIES SPECIFICATIONS

PRODUCT	COLOR	SIZE	PART NUMBER
Clip Strip	-	Start/Finish	99910.00.000.0
	-	Single	99911.00.000.0
	-	3 ft. (91.5 cm)	99912.00.036.0
	-	4 ft. (122 cm)	99912.00.048.0
	-	5 ft. (152.4 cm)	99912.00.060.0
C Channel Trim	White	12 ft. x 1.5 in. (366 cm x 3.81 cm)	7975.50.01.145.0
	Gray		7975.50.02.145.0
	Tan		7975.50.05.145.0
	Latte		7975.50.07.145.0

## TRIM & ACCESSORIES SPECIFICATIONS CONTINUED

PRODUCT	COLOR	SIZE	PART NUMBER
T Strip Trim	White	12 ft. (366 cm)	7976.50.01.145.0
	Gray		7976.50.02.145.0
	Tan		7976.50.05.145.0
	Latte		7976.50.07.145.0
L Trim - Large (3 in.)	White	12 ft. x 1.5 in. x 3 in. (366 cm x 3.81 cm x 7.62 cm)	7977.50.01.145.0
	Gray		7977.50.02.145.0
	Tan		7977.50.05.145.0
	Latte		7977.50.07.145.0
L Trim - Small (1.5 in.)	White	12 ft. x 1.5 in. x 1.5 in. (366 cm x 3.81 cm x 3.81 cm)	7978.50.01.145.0
	Gray		7978.50.02.145.0
	Tan		7978.50.05.145.0
	Latte		7978.50.07.145.0
Pushpin	White	0.75 in. (1.905 cm)	99917.01.000.0
	Gray		99917.02.000.0
	Tan		99917.05.000.0
	Latte		99917.07.000.0
End Cap w/ Pin	White		99916.01.000.0
	Gray		99916.02.000.0
	Tan		99916.05.000.0
	Latte		99916.07.000.0
Post Wrap	White	16 ft. x 3.5 in. (488 cm x 8.89 cm)	7973.20.01.192.0
	Gray		7973.20.02.192.0
	Tan		7973.20.05.192.0
Post Cap	White	3.5 in. (8.89 cm)	99918.01.000.0
	Gray		99918.02.000.0
	Tan		99918.05.000.0
Edge Guard	White	12 ft. (366 cm)	7983.20.01.144.0
Edge Guard Connector	White	10 in. (25.4 cm)	7983.20.01.010.0
Edge Guard End Cap	White		99920.01.000.0
Insert Slip Sleeve	White	10 in. (25.4 cm)	7984.50.01.010.0



Lightweight dock boards

Unique open-cavity profile with low heat retention

Slip-resistant patterns and non-splintering

Impervious to water and moisture


Clip Strip fastening system keeps screws hidden

Scratch and stain resistant



**SCAN HERE**

for more information  
on DockDeck!



**trusscore**<sup>®</sup>

hello@trusscore.com | 1.888.418.4679

Copyright © 2025 Trusscore Inc. Trusscore, DockDeck and Brock Dock are trademarks of Trusscore Inc. All other trademarks are the property of their respective owners.

Specifications are subject to change. T-BR107-003 04/2025